

## Bennett, John

---

**From:** Kocher, Daniel <dkocher@EMSL.com>  
**Sent:** Friday, March 13, 2015 10:18 AM  
**To:** Li, Charles; Fout, Shay  
**Subject:** RE: Water Cluster Project-EPA Contact / EMSL Order 611500092 - Inv 61003343  
**Attachments:** removed.txt

Dr Shay

Appologies, I though we had the details all worked out to cover our time for development help up front. The project took about a week of Dr Li's time and in the other projects we do for the EPA we look to reimburse a minimal cost and expense.

Is there any budget for the work that can be dividied up over time? We are flexible on the time constraints for any payments.

I am out sick today, but would be happy to call you Monday afternoon?

Thank you.

Daniel B. Kocher | Vice President of Contract Services | EMSL Analytical, Inc. | 856-303-2557 | [www.emsl.com](http://www.emsl.com) |

---

From: Li, Charles  
Sent: Friday, March 13, 2015 9:38 AM  
To: Fout, Shay  
Cc: Kocher, Daniel  
Subject: RE: Water Cluster Project-EPA Contact / EMSL Order 611500092 - Inv 61003343

Hi, Shay,

That is misunderstanding. Our company is a private commercial testing organization. All of our work must generate revenue, otherwise how can we have pay checks. I thought in your previous emails, you stated that you have money for our involvement for your SOW.

Please work with Dan for the payment.

Thanks

Charlie

<<http://www.emsl.com/>>[cid:image001.jpg@01D05D71.7A03A050]<<http://www.emsl.com/>><<http://www.emsl.com/>>  
Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Friday, March 13, 2015 9:33 AM

To: Li, Charles

Subject: Fw: Water Cluster Project-EPA Contact / EMSL Order 611500092 - Inv 61003343

Hi, Charlie,

This email came as a big surprise to me. When you agreed to be part of the Water Cluster team and to make the kits for us, at no time did you state that we would be charged for your contribution. I was under the assumption that your contribution was as a collaborator rather than as a business purchase. The budget for this project was a one-time thing; if you had stated at that time that your labor costs would need to be covered, we could have put it into the budget. Also you signed a Materials Transfer Agreement with us that stated that you would provide the kits and we would supply the materials. Nothing was said in the Agreement that there would be a charge associated with it. Please have Mr. Kocher cancel the invoice request.

Thanks,  
Shay

---

From: Kocher, Daniel <[dkocher@EMSL.com](mailto:dkocher@EMSL.com)<<mailto:dkocher@EMSL.com>>>

Sent: Monday, March 9, 2015 7:14 PM

To: Fout, Shay

Subject: RE: Water Cluster Project-EPA Contact / EMSL Order 611500092 - Inv 61003343

Dr Fout:

Hope all is well. We processed the invoice for the work we did for you and just need to know do you have a PO number you want us to bill against? Or, do you want to put it on a purchasing card?

Let us know at your earliest convenience. Thank you.

Daniel B. Kocher | Vice President of Contract Services | EMSL Analytical, Inc. | 856-303-2557 |  
[www.emsl.com](http://www.emsl.com)<<http://www.emsl.com>> |

From: Li, Charles

Sent: Wednesday, January 21, 2015 10:19 AM

To: 'Fout, Shay'

Cc: Tinsley, April

Subject: RE: Water Cluster Project

Hi, Shay,

The reagents are here in good condition. April may setup an account for you.

Thanks

Charlie

<image002.jpg><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Wednesday, January 21, 2015 10:17 AM

To: Li, Charles

Subject: RE: Water Cluster Project

Hi Charlie,

I mailed the reagents yesterday via UPS overnight delivery. Please let me know when you receive them and if they arrived in good condition. I had less dry ice than I would have liked, so I hope they do get delivered today. I didn't get a chance to read your working SOP before leaving for Cancun week before last, but will do so today.

Best,

Shay

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Office of Research and Development National Exposure Research Laboratory Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [mailto:[cli@EMSL.com](mailto:cli@EMSL.com)]

Sent: Thursday, January 08, 2015 4:12 PM

To: Fout, Shay

Subject: RE: Water Cluster Project

Hi, Shay,

Attached is my working SOP for the project. Please check if you can approve it before I use it.

Many thanks

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> | Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> | Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]

Sent: Thursday, January 08, 2015 10:49 AM

To: Li, Charles

Subject: RE: Water Cluster Project

Yes, go ahead and run the QC on EV, GIB and GII using the armored RNA standard. Please run a QC on the HGV as well, but please check to make certain I am sending you sufficient reagents for the QC tests. I was originally thinking that we would run the QC here using the standard curve as the positive QC and no template controls as the negative QC and only included enough reagents to make the plates; however, it certainly would be best for you to make certain all mixes are good before making the plates.

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Office of Research and Development National Exposure Research Laboratory Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [<mailto:cli@EMSL.com>]

Sent: Thursday, January 08, 2015 10:34 AM

To: Fout, Shay

Subject: RE: Water Cluster Project

Hi, Shay,

Thanks. Yes, all primers and probes are in the supplies for making the kits. Shall I run QC tests for EV, GIB and GII using Armored RNA? I understand HGV has been used as QC in the RT-qPCR.

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory

EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077

Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675

Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |

Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |

Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional

Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Thursday, January 08, 2015 10:31 AM

To: Li, Charles

Subject: RE: Water Cluster Project

Hi Charlie,

I'm sending all the primers and probes and can send a vial of the armored RNA in addition. The armored RNA has a titer of  $2.5 \times 10^8$  genomic copies per mL in a volume of about 0.25 mL.

Shay

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Office of Research and Development National Exposure Research Laboratory Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [mailto:[cli@EMSL.com](mailto:cli@EMSL.com)]

Sent: Thursday, January 08, 2015 9:03 AM

To: Fout, Shay

Subject: RE: Water Cluster Project

Hi, Shay,

Will you provide QC reagents for the RT-qPCR kits? I need to run QC on Master Mixes, so I need qPCR primers and probes, and viral RNA or armored RNA as controls, the master mixes must show detections for viral RNAs, no contamination before I put the mixes into qPCR plates.

Thanks

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory

EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077

Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675

Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |

Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |

Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional

Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Wednesday, January 07, 2015 2:01 PM

To: Li, Charles

Subject: RE: Water Cluster Project

Hi Charlie,

I still don't have the dry ice, so it will have to wait until I return on the 20th. I'm at work this week through Friday.

Thanks, Shay

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Office of Research and Development National Exposure Research Laboratory Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [mailto:[cli@EMSL.com](mailto:cli@EMSL.com)]

Sent: Wednesday, January 07, 2015 1:35 PM

To: Fout, Shay

Subject: RE: Water Cluster Project

Hi, Shay,

I have StepOnePlus and the 96 well plates. You do not need to send. I can wait when you return. I am going to send the protocol-my version to you soon, so you can review it.

Thanks

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory

EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077

Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675

Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |

Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |

Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional

Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Wednesday, January 07, 2015 1:25 PM

To: Li, Charles

Subject: RE: Water Cluster Project

Charlie,

We will use generic 96 well plates for the RT step and the One Step Plus System for the PCR step. This instrument uses the MicroAmp Fast Optical 96-Well Reaction Plates. I can send you some of each tomorrow. Attached is the latest version of the SOW which reflects some change from the last version I sent. It also shows what I will be sending you in terms of reagents. I may not get the reagents sent out today, as my dry ice that I was saving has evaporated. One of my colleagues got some packages in and there may be enough to use, but I have to leave at 3 today for a doctor's appointment, so there may not be enough time.

Shay

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Office of Research and Development National Exposure Research Laboratory Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [mailto:cli@EMSL.com]  
Sent: Wednesday, January 07, 2015 11:56 AM  
To: Fout, Shay  
Subject: RE: Water Cluster Project

Hi, Shay,

Which type of 96-well plates do you use in your lab? I know they are instrument specific. I will send you a working protocol for approval soon.

Thanks

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:  
LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

“This email may contain privileged and confidential information and is solely for the use of the sender’s intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you.”

From: Fout, Shay [mailto:Fout.Shay@epa.gov]  
Sent: Tuesday, January 06, 2015 1:59 PM  
To: Li, Charles  
Subject: RE: Water Cluster Project

Hi Charlie,

I had hoped to send you the reagents yesterday, but have to get a paper resubmitted this week. The first author has been out of the country and did not have the ability to do the edits; the journal said we have to get it back or we would have to resubmit. I had to take over the edits and am almost finished, but won’t have time to get everything together today. Will you be in on Friday? If so, I will try to send the package tomorrow. If not, I’m out of the office all next week, so it would have to wait until 20th before I could send it.

Happy New Year.  
Shay

G. Shay Fout, Ph.D.  
Senior Research Microbiologist  
U.S. Environmental Protection Agency (MS 593) Office of Research and Development National Exposure Research Laboratory Microbiological & Chemical Exposure  
Assessment Research Division



Biohazard Assessment Research Branch  
26 W. Martin Luther King Jr. Drive  
Cincinnati, OH 45268  
Phone: 513-569-7387  
Fax: 513-569-7464  
Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [<mailto:cli@EMSL.com>]  
Sent: Tuesday, December 09, 2014 9:09 AM  
To: Fout, Shay  
Subject: RE: Water Cluster Project

Hi, Shay,

Winter season is good time for me to work with you on research projects. I will work on the kits when the reagents arrive.

Thanks & Happy Holiday to You!

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:  
LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> | Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> | Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]  
Sent: Tuesday, December 09, 2014 7:53 AM  
To: Li, Charles  
Subject: RE: Water Cluster Project

Hi Charlie,

I apologize for the delay in follow-up to our last email exchange. The last couple of months have been hectic, especially early in the week. I meant to send you the reagents before now, but with the holidays, I think it would be best to wait until after the 1st, thus I send them by overnight delivery on 1/5/15. We have collected most of the samples needed for the kit testing and will finish the collection next week, and then do extractions on 1/7. We can then do the kit testing at your convenience in late January or during February. I will contact you when I send the reagents and get your time frame for the kit preparation.

Have a Happy Holiday season,

Shay

G. Shay Fout, Ph.D.  
Senior Research Microbiologist  
U.S. Environmental Protection Agency (MS 593) Microbiological & Chemical Exposure  
Assessment Research Division  
Biohazard Assessment Research Branch  
26 W. Martin Luther King Jr. Drive  
Cincinnati, OH 45268  
Phone: 513-569-7387  
Fax: 513-569-7464  
Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [<mailto:cli@EMSL.com>]  
Sent: Thursday, October 23, 2014 8:51 AM  
To: Fout, Shay  
Subject: RE: Water Cluster Project

Hi, Shay,

That is fine. Thanks

Charlie

<<http://www.emsl.com/>>[cid:(null)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of  
PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:  
LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]  
Sent: Thursday, October 23, 2014 8:45 AM  
To: Li, Charles  
Subject: RE: Water Cluster Project

Hi Charlie,  
Everyone in my Branch has been too tied up with other projects to get the samples completed over the last two months, but it looks like we will be able to complete them during November. December will probably be too busy to do the analyses, so I'm thinking about targeting the method and kit analyses for January. Will that be workable for your group?

It also took longer than I expected to get all the reagents, but I have received them and will be sending them to you either next week or the week after.

Thanks and best regards,  
Shay

G. Shay Fout, Ph.D.  
Senior Research Microbiologist  
U.S. Environmental Protection Agency (MS 593) Microbiological & Chemical Exposure  
Assessment Research Division  
Biohazard Assessment Research Branch  
26 W. Martin Luther King Jr. Drive  
Cincinnati, OH 45268  
Phone: 513-569-7387  
Fax: 513-569-7464  
Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [<mailto:cli@EMSL.com>]  
Sent: Wednesday, August 27, 2014 9:32 AM  
To: Fout, Shay  
Subject: RE: Water Cluster Project

Hi, Shay,

There is no problem from my end. I will make your project as top priority and I have analysts working with me on routine samples.

Thanks

Charlie

<<http://www.emsl.com/>>[[http://www.emsl.com/EMSLImages/Sigs/Images/EMSL\\_Signature\\_Logo\\_v1.JPG](http://www.emsl.com/EMSLImages/Sigs/Images/EMSL_Signature_Logo_v1.JPG)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:  
LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [<mailto:Fout.Shay@epa.gov>]  
Sent: Wednesday, August 27, 2014 9:17 AM  
To: Li, Charles  
Subject: RE: Water Cluster Project

Hi, Dr. Li,

I want to give you an update of our status. I have ordered all the supplies needed and will send you portions to you next week, assuming everything arrives.

The schedule for collecting the samples is slipping from what I had originally anticipated. We have collected and processed six reagent grade water samples (seeded with primary effluent), but have decided that we need to run a pretest on a couple of them using the new reagents before collecting the remaining sample sets. We want to make certain that there is enough virus in the amount of seed added to give decent Ct values. In addition, the staff are overwhelmed with other project deadlines, so it will probably be the end of October or early November before we will be ready for the complete assays. This will delay your preparation of the test kits until about that time. Please let me know if there will be any problems with the delay.

Thanks and best regards,  
Shay

G. Shay Fout, Ph.D.  
Senior Research Microbiologist  
U.S. Environmental Protection Agency (MS 593) Microbiological & Chemical Exposure  
Assessment Research Division  
Biohazard Assessment Research Branch  
26 W. Martin Luther King Jr. Drive  
Cincinnati, OH 45268  
Phone: 513-569-7387  
Fax: 513-569-7464  
Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [<mailto:cli@EMSL.com>]  
Sent: Tuesday, July 15, 2014 4:43 PM  
To: Fout, Shay  
Subject: RE: Water Cluster Project

Hi, Dr. Fout,

I will work on them directly without delays, I think we are better to use in weeks, I will try to ship to you in the same week or next week.

Charlie

<<http://www.emsl.com/>>[[http://www.emsl.com/EMSLImages/Sigs\\_Images/EMSL\\_Signature\\_Logo\\_v1.JPG](http://www.emsl.com/EMSLImages/Sigs_Images/EMSL_Signature_Logo_v1.JPG)]<<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Tuesday, July 15, 2014 1:33 PM

To: Li, Charles

Subject: RE: Water Cluster Project

Hi Dr. Li,

I failed to mention that it will take time to collect and process all the samples mentioned in the statement of work. I have a meeting with my EPA team tomorrow, so should have a better feel for how long, but it will probably take a couple of months to get all of them ready. What is your experience with shelf life of the plates you prepare? Can we go ahead and have you prepare the plates as soon as we get funding and expect them to be fine if there is a several month delay before they are used?

Best regards,

Shay

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [mailto:[cli@EMSL.com](mailto:cli@EMSL.com)]

Sent: Tuesday, July 15, 2014 12:29 PM

To: Fout, Shay; Dombro, Danielle

Cc: Dobranic, Jason; Grimm, Ann

Subject: RE: Water Cluster Project

Hi, Dr. Fout,

We consider EPA research project as our top priority work, we have adequate resources to cover the work listed. We will meet your completion time requirement.

Thanks

Charlie

<<http://www.emsl.com/>>[[http://www.emsl.com/EMSLImages/Sigs/Images/EMSL\\_Signature\\_Logo\\_v1.JPG](http://www.emsl.com/EMSLImages/Sigs/Images/EMSL_Signature_Logo_v1.JPG)]<<http://www.emsl.com/>>

Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory

EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077

Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675

Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>

---

"This email may contain privileged and confidential information and is solely for the use of the sender's intended recipient(s). If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you received this email in error, please notify the sender by reply email and delete all copies and attachments. Thank you."

From: Fout, Shay [mailto:Fout.Shay@epa.gov]

Sent: Tuesday, July 15, 2014 11:28 AM

To: Li, Charles; Dombro, Danielle

Cc: Dobranic, Jason; Grimm, Ann

Subject: RE: Water Cluster Project

Hi Dr. Li,

Please find attached the signed UBMTA with the complete Statement of Work. The funds that will be used to purchase the necessary reagents have to be transferred from one EPA account to another. I'm not certain how long that will take, but will let you know when I can start ordering supplies. Is there a particular time over the next 1-3 months when you would like to start your part of the cooperative effort?

I look forward to working with you.

Shay

G. Shay Fout, Ph.D.

Senior Research Microbiologist

U.S. Environmental Protection Agency (MS 593) Microbiological & Chemical Exposure

Assessment Research Division

Biohazard Assessment Research Branch

26 W. Martin Luther King Jr. Drive

Cincinnati, OH 45268

Phone: 513-569-7387

Fax: 513-569-7464

Email: [fout.shay@epa.gov](mailto:fout.shay@epa.gov)<<mailto:fout.shay@epa.gov>>

From: Li, Charles [mailto:[cli@EMSL.com](mailto:cli@EMSL.com)]

Sent: Tuesday, July 15, 2014 10:39 AM

To: Fout, Shay

Subject: RE: Water Cluster Project

Hi, Dr. Fout,

I read the SOP and I do not see any problem to follow it and make the plates and reagents mix for you.

Let me know what you need from me.

Thanks

Charlie

<<http://www.emsl.com/>>[[http://www.emsl.com/EMSLImages/Sigs\\_Images/EMSL\\_Signature\\_Logo\\_v1.JPG](http://www.emsl.com/EMSLImages/Sigs_Images/EMSL_Signature_Logo_v1.JPG)]<http://www.emsl.com/>><<http://www.emsl.com/>> Charles Li, Ph.D. | Director of PCR and DNA Analysis Laboratory  
EMSL Analytical, Inc. | 200 Route 130 North | Cinnaminson, NJ 08077  
Phone: 856-303-2554 | Fax: 856-786-0262 | Toll Free: 800-220-3675  
Lab Hours: Mon-Friday 7AM-10PM, Saturday 8AM-5PM, Sunday On-Call

Some of the resources EMSL Analytical, Inc. offers to our clients:

LABConnect <<https://extranet.emsl.com/>> | Order Products <<http://www.emsl.com/ProductCatalogHome.aspx>> |  
Client Corner<<http://www.emsl.com/index.cfm?nav=Pages&ID=420>> |  
Training<<http://www.emsl.com/index.cfm?nav=Pages&ID=477>> | Additional  
Resources<<http://www.emsl.com/index.cfm?nav=Pages&ID=421>> | Sampling Videos<<http://www.emsl.tv>>